



ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601

Hub Promotional Group Product Safety Statement

California Proposition 65 (Prop 65) is the Safe Drinking Water and Toxic Enforcement Act of 1986 published as Section 25249.7 of California's Health and Safety Code. Proposition 65 is intended to warn consumers of potential exposures to chemicals that are recognized by the State of California as carcinogens and reproductive toxins. Prop 65 applies to all consumer goods sold within the state and impacts all importers, domestic manufacturers, and retailers of these items

Hub Promotional group maintains its own Hub Safety Protocol™ program to inspect and thoroughly test all products to make sure they comply with California's Proposition 65 and all other national safety standards. To ensure compliance with the Hub Safety Protocol, Hub Promotional Group requires that its products demonstrate - via testing by an independent accredited analytical laboratory - that they comply with both the California Proposition 65 exposure standard as well as the Federal Consumer Product Safety Commission's toughest requirements. Through our vigorous enforcement of the Hub Safety Protocol™, Hub Promotional Group pledges to ensure compliance with California's Proposition 65 as well as all relevant national safety standards to protect our customers.

Safety sheets and supporting documentations are readily available for all products upon request. As part of our rigorous quality program, we keep and maintain detailed quality records throughout our entire supply chain. This starts with inspections at our oversea factory by qualified audit team in China. We also set up third-party factory audits for both social and quality compliance on a regular basis. At least on a bi-annual basis, Hub Pen team from the United States conduct on site audit of our supplier factory to ensure and maintain the highest level of quality and safety for our product.

Thank you

Joseph Fleming

President





ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601

Testing Methodology

Based on risk assessment of our product and market, an independent accredited analytical laboratory will perform compliance testing on Lead and Phthalates on all active products. Additional chemical such as Cadmium, BPA and other chemicals will be tested as needed.

- CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry) https://www.cpsc.gov/s3fs-public/pdfs/blk pdf CPSC-CH-E1001-08 3.pdf
- CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Nonmetal Children's Products https://www.cpsc.gov/s3fs-public/pdfs/blk_pdf_CPSC-CH-E1002-08_3.pdf
- CPSC-CH-E1003-09 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings https://www.cpsc.gov/s3fs-public/CPSC-CH-E1003-09.pdf

Testing Frequency

- All New Products must pass testing by an independent accredited analytical laboratory prior to being released for mass production and sale.
- When an existing product is moved to a new manufacturer, the product will be tested by an independent accredited analytical laboratory before released for mass production and sale.
- All imprint inks and other decorating materials are tested each year.
- Re-Testing Frequency. The frequency of retesting is established based upon the potential risks associated with the product and the sales volume of the product.

We test all colors of all components of all products to all standards that apply. Formal Test Reports can be requested thru your sales rep.





ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601

HUB Approved Accredited Laboratories

 Attestation of Global Compliance (AGC) http://www.agc-cert.com/



CPSC Lab ID: 1488

HUB Prop 65 Label

To comply with the new Prop 65 warning regulation effective August 30, 2018. All products manufactured after Aug 15, 2018 that has a Prop 65 listed chemical above exposure limits, will be shipped with the new warning label regardless of its ship to destination.

• Product Label Warning (Font size 6 or above)



Catalog/Website Warnings

Catalog will update with applicable warning for non-compliant products.





ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601

Example of Third Party Lab Report



Test Report

Report No.: AGC01715180801-001 Date: Aug.17, 2018 Page 1 of 6

Applicant: DEBCO BAG HONG KONG

Address: RM 3208 CENTRAL PLAZA 18 HARBOUR ROAD WAN CHAL HONG KONG

Report on the submitted sample(s) said to be:

Sample Name : CERAMIC MUGS

Model No. : CM9503 Country of origin : CHINA

Country of destination : NORTH AMERICA

Sample Received Date : Aug.09, 2018

Testing Period : Ang.09, 2018 to Ang.17, 2018

Test Requested : Please refer to next page(s).

Test Method : Please refer to next page(s).

Test Result : Please refer to next page(s).

Approved by:

Linlinwen, Lewis

Technical Director







ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601



Test Report

Report No.: AGC01715180801-001 Date: Aug.17, 2018

Test Requested: Conclusion

1. As specified by client, to determine the Leachable Lead and Cadmium content from Ceramic Ware with reference to SOR/2016-175 Glazed Ceramics and Glassware Regulations.

2. As specified by client, to determine the Leachable Lead and Cadmium content with reference to

Pass

The results alread in 1996 kg kpopert refer only to the sample(x) fested unless otherwise stated and the sample(x) are retained for 30 days only. The document is issued to WGC, this document control be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be AGC



ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601



Test Report

Report No.: AGC01715180801-001 Date: Aug.17, 2018 Page 3 of 6

Test Result(s):

1. Test Result(s) of Leachable Lead & Cadmium(SOR/2016-175)

Unit: mg/L

Test Item(s)	Test Condition/ Equipment	MDL	1						
			30	- 1	Limit				
			1-1-A	1-1-B	1-1-C	1-1-D	1-1-E	1-1-F	
Lead (Pb)	22°C, 24h/ ICP-OES	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Cadmium (Cd)		0.01	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.50
Conclusion	Ş	1	Pass	Pass	Pass	Pass	Pass	Pass	71

Unit: mg/L

Test Item(s)	Test Condition/ Equipment	MDL	Result(s) 4% (v/v) Acetic scid						Limit
			Lead (Pb)	22°C, 24h/ ICP-OES	0.1	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.01	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	0.50
Conclusion	-600	-1	Pass	Pass	Pass	Pass	Pass	Pass	1

Unit: mg/L

Test Item(s)	Test Condition/ Equipment	MDL	-						
			3	68	Limit				
			1-3-A	1-3-B	1-3-C	1-3-D	1-3-E	1-3-F	COCS
Lead (Pb)	203	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Cadmium (Cd)	22°C, 24h/ ICP-OES	0.01	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.50
Conclusion	. 4	1.2	Pass	Pass	Pass	Pass	Pass	Pass	1



ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601



Test Report

Report No.: AGC01715180801-001 Date: Aug.17, 2018 Page 4 of 6

Unit: mg/L

Tarri I tarre (v)	100	MDL	<i>-</i>	Limit					
	Test Condition/ Equipment		4 19						
	29.3		1-4-A	1-4-B	1-4-C	1-4-D	1-4-E	1-4-F	D
Lead (Pb)	22°C, 24h/ ICP-OES	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Cadmium (Cd)		0.01	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.50
Conclusion	1 4 2 7	100	Pass	Pass	Pass	Pass	Pass	Pass	7

Note: 1. MDL=method detection limit

- 2. N.D.=Not Detected(less than method detection limit)
- 3. Results shown above are testing data of six groups.
- As specified by client, only test the designated sample.

2. Test Result(s) of Leachable Lead & Cadmium(FDA CPG 7117.06 &7117.07)

Unit: uw/ml

Test Item(s)	2 2 2		10	Limit					
	Test Condition/ Equipment	MDL							
	Column 1		1-1-A	1-1-B	1-1-C	1-1-D	1-1-E	1-1-F	003
Lead (Pb)	22°C, 24h/ ICP-OES	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Cadmium (Cd)		0.01	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Conclusion	7	21	Pass	Pass	Pass	Pass	Pass	Pass	GP "



ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601



Test Report

Report No.: AGC01715180801-001 Date: Aug.17, 2018 Page 5 of 6

Unit: µg/ml

Test Item(s)	000	~6	20						
	Test Condition/ Equipment	MDL	4.6	Limit					
	_qupa.u.		1-2-A	1-2-B	1-2-C	1-2-D	1-2-E	1-2-F	
Lead (Pb)	22°C, 24h/ ICP-OES	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Cadmium (Cd)		0.01	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Conclusion	143	I e	Pass	Pass	Pass	Pass	Pass	Pass	, W

Unit: µg/ml

Test Item(s)	- 10	. 4 B	Result(s)						10
	Test Condition/ Equipment	MDL	.O.3	-0.	Limit				
	-4-0-0	3	1-3-A	1-3-B	1-3-C	1-3-D	1-3-E	1-3-F	457
Lead (Pb)	22°C, 24h/ ICP-OES	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Cadmium (Cd)		0.01	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Conclusion	1	4	Pass	Pass	Pass	Pass	Pass	Pass	1,29

Unit: µg/ml

Test Item(s)	CO	13.5	Result(s)						487	
	Test Condition/ Equipment	MDL		4% (v/v) Acetic acid						
			1-4-A	1-4-B	1-4-C	1-4-D	1-4-E	1-4-F		
Lead (Pb)	22°C, 24b/ ICP-OES	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Cadmium (Cd)		0.01	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Conclusion	- 7	-0	Pass	Pass	Pass	Pass	Pass	Pass	1	

Note: 1. MDL=method detection limit

- 2. N.D.=Not Detected(less than method detection limit)
- 3. Results shown above are testing data of six groups



ASI 48886 PPAI 317015 PPPC 920206 SAGE-CAD 67658 SAGE-USA 50601



Test Report

Report No.: AGC01715180801-001 Date: Aug.17, 2018 Page 6 of 6

Sample Information

1-1	Red ceramic body	- GU	-		18.2
1-2	Orange ceramic body	- 0 B	4.5	187	
1-3	Light blue ceramic body	4.47	47 0	237	0 - 0
1-4	Dark blue ceramic body	.0"0"	- 7,0	200	, P.

The photo of the sample



AGC01715180801-001

AGC authenticate the photo on original report only *** End of Report***